

# AR 350 | 450



## COMMERCIAL REMOTE CONDENSER

### CONSTRUCTION CHARACTERISTICS

- ~ 8 mm O.D. seamless copper tube expanded into aluminium fins
- ~ casing in white pre-coated aluminium and galvanized steel or inox on request
- ~ 230V/1F/50Hz motorfans
- ~ on request:
  - protective treatment of coils

## CONDENSATORI REMOTI COMMERCIALI







### CARATTERISTICHE COSTRUTTIVE

- ~ batteria realizzata con tubo di rame  $\varnothing$  8 mm ed aletta di alluminio
- ~ involucro in alluminio pre verniciato e lamiera zincata bianca o inox su richiesta
- ~ motoventilatori 230V/1F/50Hz
- ~ a richiesta possibilità di:
  - trattamenti protettivi della batteria







Model Modello		Nominal Capacity Potenza nominale $\Delta T=15K$ $T_{air} 25^{\circ} C$	Air Flow Portata aria	Surface Superficie	Internal Volume Volume interno	N° x Ø			Motorfan power consumption Assorbimento motoventilatori 230V/1F/50Hz	Noise level Rumorosità dB(A)	Weight Peso	Connection Conessioni		
AR 350		kW	m³/h	m²	dm³		rpm	Feed	A	Kw	10 m	5 m	kg	IN/OUT Ø mm
<b>rpm 1400</b>														
AR35	ARV311B21S230S	6.38	2357	12	1	1 x 350	1400	230 - 1 - 50/60	0.66	0,13	46 / 10	51 / 5	34	35/22
AR35	ARV311C21S230S	8.24	2296	18	2	1 x 350	1400	230 - 1 - 50/60	0.66	0,13	46 / 10	51 / 5	36	35/22
AR35	ARV311D21S230S	9.78	2235	24	2	1 x 350	1400	230 - 1 - 50/60	0.66	0,13	46 / 10	51 / 5	38	35/22
AR35	ARV312B21S230S	12.81	4715	24	2	2 x 350	1400	230 - 1 - 50/60	1.32	0,27	49 / 10	54 / 5	58	35/22
AR35	ARV312C21S230S	16.82	4593	35	3	2 x 350	1400	230 - 1 - 50/60	1.32	0,27	49 / 10	54 / 5	62	35/22
AR35	ARV312D21S230S	19.69	4471	47	4	2 x 350	1400	230 - 1 - 50/60	1.32	0,27	49 / 10	54 / 5	66	35/22
AR35	ARV313B21S230S	19.54	7072	35	3	3 x 350	1400	230 - 1 - 50/60	1.98	0,40	51 / 10	56 / 5	82	35/22
AR35	ARV313C21S230S	25.49	6889	53	5	3 x 350	1400	230 - 1 - 50/60	1.98	0,40	51 / 10	56 / 5	88	35/22
AR35	ARV313D21S230S	29.69	6706	71	6	3 x 350	1400	230 - 1 - 50/60	1.98	0,40	51 / 10	56 / 5	94	35/22
AR35	ARV314B21S230S	26.27	9429	47	4	4 x 350	1400	230 - 1 - 50/60	2.64	0,54	52 / 10	57 / 5	106	35/22
AR35	ARV314C21S230S	33.66	9186	71	6	4 x 350	1400	230 - 1 - 50/60	2.64	0,54	52 / 10	57 / 5	114	35/22
AR35	ARV314D21S230S	39.59	8942	94	8	4 x 350	1400	230 - 1 - 50/60	2.64	0,54	52 / 10	57 / 5	124	35/22
AR35	ARV321B21S230S	12.61	4705	23	2	2 x 350	1400	230 - 1 - 50/60	1.32	0,27	49 / 10	54 / 5	66	35/22
AR35	ARV321C21S230S	16.53	4579	35	4	2 x 350	1400	230 - 1 - 50/60	1.32	0,27	49 / 10	54 / 5	71	35/22
AR35	ARV321D21S230S	19.37	4453	46	5	2 x 350	1400	230 - 1 - 50/60	1.32	0,27	49 / 10	54 / 5	75	35/22
AR35	ARV322B21S230S	25.25	9409	46	4	4 x 350	1400	230 - 1 - 50/60	2.64	0,54	52 / 10	57 / 5	111	35/22
AR35	ARV322C21S230S	33.14	9158	69	6	4 x 350	1400	230 - 1 - 50/60	2.64	0,54	52 / 10	57 / 5	120	35/22
AR35	ARV322D21S230S	39.02	8906	92	8	4 x 350	1400	230 - 1 - 50/60	2.64	0,54	52 / 10	57 / 5	129	35/22
AR35	ARV323B21S230S	38.56	14114	69	6	6 x 350	1400	230 - 1 - 50/60	3.96	0,80	54 / 10	59 / 5	157	35/22
AR35	ARV323C21S230S	50.34	13736	104	9	6 x 350	1400	230 - 1 - 50/60	3.96	0,80	54 / 10	59 / 5	170	35/22
AR35	ARV323D21S230S	58.53	13359	138	12	6 x 350	1400	230 - 1 - 50/60	3.96	0,80	54 / 10	59 / 5	182	35/22
AR35	ARV324B21S230S	51.55	18818	92	8	8 x 350	1400	230 - 1 - 50/60	5.28	1,07	54 / 10	60 / 5	203	35/22
AR35	ARV324C21S230S	66.60	18315	138	12	8 x 350	1400	230 - 1 - 50/60	5.28	1,07	54 / 10	60 / 5	219	35/22
AR35	ARV324D21S230S	78.45	17813	184	16	8 x 350	1400	230 - 1 - 50/60	5.28	1,07	54 / 10	60 / 5	236	42/28

<b>rpm 910</b>														
AR35	ARV311B21L230S	5.23	1679	12	1	1 x 350	910	230 - 1 - 50/60	0.42	0,09	35 / 10	40 / 5	34	35/22
AR35	ARV311C21L230S	6.73	1603	18	2	1 x 350	910	230 - 1 - 50/60	0.42	0,09	35 / 10	40 / 5	36	35/22
AR35	ARV311D21L230S	7.47	1528	24	2	1 x 350	910	230 - 1 - 50/60	0.42	0,09	35 / 10	40 / 5	38	35/22
AR35	ARV312B21L230S	10.48	3358	24	2	2 x 350	910	230 - 1 - 50/60	0.84	0,18	38 / 10	43 / 5	58	35/22
AR35	ARV312C21L230S	13.30	3205	35	3	2 x 350	910	230 - 1 - 50/60	0.84	0,18	38 / 10	43 / 5	62	35/22
AR35	ARV312D21L230S	15.11	3057	47	4	2 x 350	910	230 - 1 - 50/60	0.84	0,18	38 / 10	43 / 5	66	35/22
AR35	ARV313B21L230S	16.18	5037	35	3	3 x 350	910	230 - 1 - 50/60	1.26	0,27	40 / 10	45 / 5	82	35/22
AR35	ARV313C21L230S	20.30	4808	53	5	3 x 350	910	230 - 1 - 50/60	1.26	0,27	40 / 10	45 / 5	88	35/22
AR35	ARV313D21L230S	22.66	4585	71	6	3 x 350	910	230 - 1 - 50/60	1.26	0,27	40 / 10	45 / 5	94	35/22
AR35	ARV314B21L230S	21.61	6715	47	4	4 x 350	910	230 - 1 - 50/60	1.68	0,36	41 / 10	46 / 5	106	35/22
AR35	ARV314C21L230S	27.17	6411	71	6	4 x 350	910	230 - 1 - 50/60	1.68	0,36	41 / 10	46 / 5	114	35/22
AR35	ARV314D21L230S	30.46	6114	94	8	4 x 350	910	230 - 1 - 50/60	1.68	0,36	41 / 10	46 / 5	124	35/22
AR35	ARV321B21L230S	10.54	3348	23	2	2 x 350	910	230 - 1 - 50/60	0.84	0,18	38 / 10	43 / 5	66	35/22
AR35	ARV321C21L230S	13.24	3190	35	4	2 x 350	910	230 - 1 - 50/60	0.84	0,18	38 / 10	43 / 5	71	35/22
AR35	ARV321D21L230S	14.91	3034	46	5	2 x 350	910	230 - 1 - 50/60	0.84	0,18	38 / 10	43 / 5	75	35/22
AR35	ARV322B21L230S	20.67	6696	46	4	4 x 350	910	230 - 1 - 50/60	1.68	0,36	41 / 10	46 / 5	111	35/22
AR35	ARV322C21L230S	26.18	6380	69	6	4 x 350	910	230 - 1 - 50/60	1.68	0,36	41 / 10	46 / 5	120	35/22
AR35	ARV322D21L230S	29.98	6067	92	8	4 x 350	910	230 - 1 - 50/60	1.68	0,36	41 / 10	46 / 5	129	35/22
AR35	ARV323B21L230S	31.98	10044	69	6	6 x 350	910	230 - 1 - 50/60	2.52	0,54	43 / 10	48 / 5	157	35/22
AR35	ARV323C21L230S	39.93	9569	104	9	6 x 350	910	230 - 1 - 50/60	2.52	0,54	43 / 10	48 / 5	170	35/22
AR35	ARV323D21L230S	44.97	9101	138	12	6 x 350	910	230 - 1 - 50/60	2.52	0,54	43 / 10	48 / 5	182	35/22
AR35	ARV324B21L230S	42.68	13392	92	8	8 x 350	910	230 - 1 - 50/60	3.36	0,72	43 / 10	49 / 5	203	35/22
AR35	ARV324C21L230S	53.54	12759	138	12	8 x 350	910	230 - 1 - 50/60	3.36	0,72	43 / 10	49 / 5	219	35/22
AR35	ARV324D21L230S	59.96	12134	184	16	8 x 350	910	230 - 1 - 50/60	3.36	0,72	43 / 10	49 / 5	236	35/22

Modello Model		A	B
AR-3 11		500	640
AR-3 12		1000	1140
AR-3 13		1500	1640
AR-3 14		2000	2140



Modello Model		A	B
AR-3 21		500	640
AR-3 22		1000	1140
AR-3 23		1500	1640
AR-3 24		2000	2140



# AR 350